

# CP-D80DW-S




## CP-D80DW-S REWIND FUNCTION - 2 PRINT SIZES / 1 MEDIA

The latest innovation by Mitsubishi Electric in digital sublimation printing. The **CP-D80DW-S**, also designed with space in mind, prints high resolution photographs in just 11.3 seconds with a 96% reduction in energy consumption in stand-by mode.

### MAIN FEATURES

- 2 print sizes - 1 media
- Dust-free mechanism
- Energy saving
- Rewind function
- High resolution
- Compact design
- Matte / Glossy

### FEATURES



## MAIN FEATURES

### • 2 print sizes - 1 media

The outstanding feature in the new CP-D80DW-S is the possibility to produce two print sizes (5x15cm and 10x15cm) from just one media paper saving time, reducing stock references and making maintenance and use easier.

### • -96% Standby power saved

CP-D80DW-S is designed to reduce power consumption in sleep mode by up to 96%. Standby power refers to the electric power consumed by electronic appliances while they are switched off or in a standby mode.

### • Rewind Function

New Rewind Function has been included in order to optimize the 10x15cm (4x6") prints. When the last half part of the ribbon patch is not used in the last order it can be capable for next printing order of 10x15cm (4x6"). This function cannot be used with Fine mode or Matte print. \*10x15 print speed 8.4sec in Fine mode without rewind function.

### • High resolution

Mitsubishi Electric's printers incorporate the newly developed image processing methods making possible to reproduce smooth edges and natural images at 300DPI.

### • Matte finishing


A matte finish is a highly textured print finish, similar to that of a satin finish. It is much duller and does not reflect light. Many photographers prefer to produce matte finishes due to market demands.

### • Compact size

CP-D80DW-S is convenient for professionals who require Mitsubishi Electric's high quality in a small and compact design which fits seamlessly into any installation space.

### • Dust-free system

The CP-D80DW-S is ideal for environments that suffer a higher level of pollution or dust. It has in-built separators that are designed to circulate the air more efficiently, keeping the heads separated from the power supply and reducing the level of contamination in the printing zone.






## SPECIFICATIONS

#### Front panel

- 1 Paper strip bin
- 2 Power indicator
- 3 Paper ribbon indicator
- 4 Alarm indicator
- 5 Print outlet
- 6 Open button

#### Rear panel

- 1 Power switch
- 2 Power socket (AC line)
- 3 Paper cover
- 4 Fan cover
- 5 USB terminal
- 6 Securing holes for the cable tie



## TECHNICAL SPECIFICATIONS

#### Print deck

#### Printing Method

#### Gradations

#### Print resolution

#### Photo finishing

Media performance  
Print default mode:  
Superfine\*

#### Interface

#### Memory size

#### Dimensions (W / D / H)

#### Weight

#### Power supply

#### Power consumption

#### Accessories

#### Compatibilities

#### Single-deck

Dye Sublimation thermal transfer line 3-color face progressive printing (yellow, magenta, and cyan) and surface lamination

256 (8-bit) for each color

300DPI

#### Matte/Glossy

Ref.	Print Size	Total prints	Prints x Roll	Print time*
D820	5x15cm	860	860 x 2	8.3s
	10x15cm	430	430 x 2	11.3s
	15x15cm	215	215 x 2	18.2s
	15x20cm	215	215 x 2	21.5s
D718	13x13cm	230	230 x 2	16.2s
	13x18cm	230	230 x 2	19.3s

#### Hi-Speed USB Ver.2.0

64MB – Data transfer is possible during printing

275/446/170mm (10.8/17.6/6.7")

12kg (26.5lb.)

220-240VAC, 50/60Hz. / 120VAC, 50/60Hz.

2.4A (220-240VAC, 50/60Hz.) / 4.6A (120VAC, 50/60Hz.) / 0.05W (Standby mode)

80DW:120V and 230V, 80DW-S:230V, Ink cassette (1), CD-ROM (1), Paper flange (1 set), Spacers (1 set), Quick setup guide (1), Paper strip bin (1), Cable tie (2), Securing band (1), Screw for securing band (1)

PhotoSuite 2.x / Kiosk gifts / Click

## Mitsubishi Electric Europe CONTACTS

Mitsubishi Electric Europe B.V. German Branch

URL: [www.mitsubishi-vis.de](http://www.mitsubishi-vis.de)

Mitsubishi Electric Europe B.V. Benelux Branch

URL: [www.mitsubishielectric.nl](http://www.mitsubishielectric.nl)

Mitsubishi Electric Europe B.V. French Branch

URL: [www.vis.mitsubishielectric.fr](http://www.vis.mitsubishielectric.fr)

Mitsubishi Electric Europe B.V. Spanish Branch

URL: [www.mitsubishidigitalphoto.com](http://www.mitsubishidigitalphoto.com)

Mitsubishi Electric Europe B.V. Italian Branch

URL: [www.mitsubishielectric.it/vis](http://www.mitsubishielectric.it/vis)

Mitsubishi Electric Europe B.V. Scandinavian Branch

URL: [www.mitsubishielectric.se](http://www.mitsubishielectric.se)

Mitsubishi Electric Europe B.V. UK Branch

URL: [www.mitsubishielectric.co.uk/vis](http://www.mitsubishielectric.co.uk/vis)